

Figure 1 displays four pie charts, each representing the distribution of the number of children per family for a specific group (IP1, IP2, IP3, and IP4). Each chart is accompanied by a table showing the count (N) and percentage (%) for each number of children (0, 1, 2, 3, 4).

1 IP1

Number of Children	N	%
0	29	58
1	15	30
2	3	6
3	2	4
4	0	0

2 IP2


Number of Children	N	%
0	68	94
1	10	14
2	10	14
3	17	24
4	1	1

3 IP3

Number of Children	N	%
0	23	58
1	10	26
2	10	26
3	20	50
4	1	2

4 IP4


Number of Children	N	%
0	21	66
1	15	45
2	4	12
3	8	24
4	0	0



図面番号	3 / 7	縮尺	S=1/50
工 種	道路改良工事		
種 別	標準横断面図	番号	1 / 1
路線名	市道 追原中線		
工事箇所	庄原市東城町栗田		
庄 原 市			

標準横断面図

S=1:50




道路規格と舗装構成

道路規格 第3種第5級			
設計速度 V=20 km/h			
交通量の区分 N2(40台未満)			
設計C B R 4			
目標とする値 TA=10.4			
舗装構成	舗装厚	等価換算係数	TA
表層(再生密粒度7スコン)	4	1.00	4.00
上層路盤(粒調砕石)	7	0.35	2.45
下層路盤(RC-40)	16	0.25	4.00
計	27		10.45

舗装構成図

S=1:10


車道舗装



凡 例



記 号	工 種
C(As)	アスファルト除去
C(Co1)	コンクリート取壊し(無筋)
C(Co2)	コンクリート取壊し(鉄筋)
C1	片切掘削
C2	オープン掘削
C3	置換土
C(E)	表土鋤取り
B1-n	路体盛土
B2-n	路床盛土
B3	路肩盛土
B4	畦畔盛土
B5	置換盛土
B6	路体外盛土
E	床 堀
Fu(m)	埋 戻
K	基面整正
Lc	切土法面整形
Lb	盛土法面整形
L1	切土法面保護
L2	盛土法面保護
L3	張コンクリート
SL	ブロック積法長
G	表込砕石
W1	車道舗装(表 層)
W2	" (上層路盤)
W3	" (下層路盤)
n	1 施工形態 (W<1.0m)
	2 " (1.0m≤W<2.5m)
	3 " (2.5m≤W<4.0m)
	4 " (4.0m≤W)
m	A 施工形態 (W2≥4.0m)
	B " (W1≥4.0m・W2<1.0m)
	C " (1.0m≤W1<4.0m・W2<1.0m)
	D " (W<1.0m・W2<1.0m)

N0. 4付近



図面番号	4 / 7	縮尺	S=1/100
工 種	道路改良工事		
種 別	横 断 面 図	番 号	1 / 2
路線名	市道 追原中線		
工事箇所	庄原市東城町栗田		
庄 原 市			


NO. 1+10. 0～SP. 2



図面番号	6 / 7		縮 尺	図 示
工 程	道路改良工事			
種 別	構 造 図		番 号	1 / 5
路 線 名	市道 追原中線			
工事箇所	庄原市東城町栗田 地内			
庄 原 市				

皿型水路


S=1:20



皿型水路 10m当り				
種 別	規 格	単 位	数 量	
基 礎 砕 石	t=100mm	m ²	4.500	
敷モルタル		m ³	0.120	
皿型水路	B300	m	10.000	

PL2-300


S=1:20



PL2-300 10m当り				
種 別	規 格	単 位	数 量	
基 礎 砕 石	t=100mm	m ²	5.500	
敷モルタル		m ³	0.100	
側 溝	B300-H100	個	16.5	

PL2-300(乗入)


S=1:20



PL2-300(乗入) 10m当り				
種 別	規 格	単 位	数 量	
基 礎 砕 石	t=100mm	m ²	5.000	
敷モルタル		m ³	0.100	
側 溝	B300 乗入	個	16.5	

横断溝


S=1:20



横断溝 10m当り				
種 別	規 格	単 位	数 量	
コンクリート	18N/mm ²	m ³	2.100	
型 枠		m ²	23.000	
基礎砕石	RC-40 t=150mm	m ²	7.000	
グレーチング蓋	T-25 ボルト固定型	枚	10.000	

P1-RC1-D300


S=1:20



P1-RC1-D300 10m当り				
種 別	規 格	単 位	数 量	
コンクリート	18N/mm ²	m ³	0.688	
型 枠		m ²	3.200	
基礎砕石	t=150mm	m ²	7.000	
コンクリート管	D300	本	5.0	

PVC-300


S=1:20



PVC-300 10m当り				
種 別	規 格	単 位	数 量	
基 礎 砕 石	t=150mm	m ²	4.400	
敷モルタル		m ³	0.072	
コンクリート管	D300×2000	本	5.0	

P1-RC1-D500


S=1:20



P1-RC1-D500 10m当り				
種 別	規 格	単 位	数 量	
コンクリート	18N/mm ²	m ³	1.298	
型 枠		m ²	4.800	
基礎砕石	t=150mm	m ²	8.500	
コンクリート管	D500	本	4.1	

PVC-600


S=1:20



PVC-600 10m当り				
種 別	規 格	単 位	数 量	
基 礎 砕 石	t=200mm	m ²	6.500	
敷モルタル		m ³	0.135	
コンクリート管	D600×2500	本	4.0	

PVC-200

S=1:20




PVC-200 10m当り				
種 別	規 格	単 位	数 量	
基 礎 砕 石	t=150mm	m ²	3.600	
敷モルタル		m ³	0.048	
コンクリート管	D200×1000	本	10.0	

角フリューム250

(KF-250)


S=1:20



KF-250 10m当り				
種 別	規 格	単 位	数 量	
基 礎 砕 石	t=100mm	m ²	3.200	
敷モルタル		m ³	0.056	
側 溝		m	10.0	

縦排水


S=1:20



縦排水 10m当り				
種 別	規 格	単 位	数 量	
ベンチリュウム側溝	B250-H175 (BF11型)	m	10.000	
コンクリート	18N/mm ²	m ³	1.000	
型 枠		m ²	4.000	

田面排水樹


S=1:20




田面排水樹 1箇所当り				
種 別	規 格	単 位	数 量	
田面排水樹	600型	個	1.0	

図面番号	7 / 7	縮 尺	図 示
工 種	道路改良工事		
種 別	構 造 図	番 号	2 / 2
路 線 名	市道 追原中線		
工事箇所	庄原市東城町栗田 地内		
庄 原 市			


ブロック積擁壁




ガードパイプ



1号基礎工




芝台ブロック



1号基礎工		10m当り	
種 別	規 格	単 位	数 量
コンクリート	18N/mm2	m3	1.363
型 枠		m2	4.500
基礎砕石	t=100mm	m2	7.500


芝台ブロック		10m当り	
種 別	規 格	単 位	数 量
芝台ブロック	H=500	個	16.6
基礎砕石	RC-40, t=100mm	m2	4.00
敷モルタル		m3	0.090

地下排水（波状管）




地下排水		10m当り	
種 別	規 格	単 位	数 量
有孔管	φ200	m	10.000
フィルター材	単粒度砕石4号	m3	2.186

暗渠排水標準断面




暗渠排水		10m当り	
種 別	規 格	単 位	数 量
表土剥取		m3	4.500
掘 削		m3	1.125
砕 石	5~20mm	m3	0.625
表土埋戻		m3	4.500
吸水管	φ100mm	m	10.000

分水溝KF-250




分水溝KF-250		10ヶ所当り	
種 別	規 格	単 位	数 量
分水溝	KF-250	個	10.00

素掘水路 標準断面



地下排水（VP）



地下排水		10m当り	
種 別	規 格	単 位	数 量
VP	φ200	m	10.000
フィルター材	RC-40	m3	2.186